

Volta Drills 688m of Continuous Carbonatite Mineralization at Springer Rare Earth Element Deposit

Toronto, Ontario--(Newsfile Corp. - March 31, 2026) - **Volta Metals Ltd. (CSE: VLTA) (FSE: D0W) (OTCID: VOLMF)** ("**Volta**" or the "**Company**") is pleased to report that drill hole SL26-35 from its 2026 winter drill program has intersected continuous carbonatite mineralization over **688 metres ("m")** at its Springer Rare Earth Element ("**REE**") Deposit, located near Sturgeon Falls, Ontario. This intercept **from 5m to 693m** ranks among the widest continuous carbonatite drill intersections reported globally and marks the deepest drill hole completed at Springer to date (Figure 1). The entire core from SL26-35 will be submitted to the Saskatchewan Research Council ("**SRC**") in Saskatoon, a specialist facility for REE and critical mineral analysis, with assay results expected in the second quarter of 2026.




Figure 1. Drill hole SL26-35 cross section showing volume % carbonatite mineralization from detailed geological logging, 2026 resource estimate shell and conceptual open pit outline (visual estimates of carbonatite do not necessarily indicate the presence of REE and Ga mineralization. Assays are pending).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/9598/290511_4a6a5241649bcbb0_001full.jpg

Drill hole SL26-35 is part of the 5,415m winter drill program on the Springer Rare Earth Deposit (Table 1). To date, Volta has completed 11 drill holes for 4,824m since commencement in January 2026.

"The scale of this carbonatite intersection, 688m of continuous, uninterrupted carbonatite to end-of-hole, speaks for itself. It appears to represent a structurally intact, essentially undeformed carbonatite pipe of considerable vertical extent. Systems of this nature are among the world's most significant hosts of rare earth elements and critical minerals, and Springer is increasingly demonstrating the

hallmarks of a large to very large, bulk-tonnage system. Carbonatite pipes are mantle-rooted structures, with magmas originating at depths of 70-200 km (Woolley and Kjarsgaard, 2008), and are consistent with systems that extend well beyond current drill depths. With assays pending, we look forward to reporting the REE and gallium grades hosted within this interval," said Kerem Usenmez, President and CEO of Volta.

Details

Drill hole SL26-35 was drilled to test carbonatite-hosted REE and Ga mineralization below the depth of the conceptual open pit and to obtain geotechnical data to support open pit design optimization as part of the planned Preliminary Economic Assessment study. The drill hole is the deepest yet completed at Springer, and carbonatite mineralization extends approximately 100m from the recent resource shell. Additional drill holes from the current program are in progress, with results to be reported as they become available.

Geochemical assays and detailed petrographic work from the 2011, 2012, and 2025 drill programs indicate that REE and Ga mineralization is hosted within the carbonatite. In detail, the 688m intercept contains continuous but variable carbonatite veining within the syenite brecciated host rock, from 5m to 693m. The carbonatite vein zones range from 2-6 % carbonatite to over 50-60% carbonatite, within the drill hole (see Figures 1, 2 and 3 for details).

The rare earth elements at Springer are hosted primarily in synchysite, a well-recognized REE calcium-cerium fluorocarbonate mineral. Synchysite concentrates light rare earth elements, including cerium, lanthanum, neodymium, and praseodymium, as well as heavy rare earth elements like dysprosium and terbium, in addition to gallium. The identification of synchysite as the principal host mineral is significant, as it is amenable to established REE recovery processes.

The drill hole collar coordinates for SL26-35 are given in Table 1.

Table 1. Drill hole SL26-35 collar table, UTM NAD 83, Zone 17.

Drill hole #	Easting (m)	Northing (m)	Elevation (m)	Azimuth (°)	Dip (°)	Length (m)
SL26-35	580451	5143758	251	90	-60	693




Figure 2. Abundant carbonatite mineralization veins (white rock) within syenite (orange rock),

SL26-35, boxes 41 - 44 (168.1m - 185.3m).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/9598/290511_4a6a5241649bcbb0_002full.jpg



Figure 3. Abundant carbonatite mineralization veins (white rock) within syenite (orange rock), SL26-35, boxes 73-76 (305.2m-322.5m).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/9598/290511_4a6a5241649bcbb0_003full.jpg

REE-Carbonatite Deposit Model

The explosive intrusion of the carbonatite magma resulted in brecciation and iron-rich alteration (finitization) of the syenite host rock at Springer. Mineralogical studies by Mitchell (2011), Mariano (2012) and more recently by the Idaho National Laboratory (2025) concluded that the REE mineralization is hosted by synchysite within dolomite carbonatite.

Carbonatite-hosted REE deposits form as intrusive igneous pipes rich in carbonate minerals that concentrate rare earth elements and other critical minerals. These systems are characteristically pipe-shaped, vertically persistent structures with extensive alteration (finitization) halos formed by fluids emanating from the carbonatite body (Figure 4). Some of the world's largest and most economically significant REE deposits, including Mountain Pass (USA), Bayan Obo (China), and Palabora (South Africa), are hosted in carbonatite complexes. The style, scale and intensity of finitization zonation and carbonatite mineralization observed at Springer are consistent with a large to very large, well-developed, structurally intact REE carbonatite pipe and are directly analogous to the architecture documented at these major deposits. These comparisons do not imply that the Springer deposit is of equivalent size, grade, or economic significance to the referenced deposits. No preliminary economic assessment, pre-feasibility study, or feasibility study has been completed for the Springer REE Project.




Figure 4. Idealized block diagram summarizing fenitization relationships and carbonatite pipe architecture at a generalized carbonatite complex (Elliot et al., 2018).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/9598/290511_4a6a5241649bcbb0_004full.jpg

Resource Estimate

On February 23, 2026, Volta Metals reported an updated Mineral Resource Estimate ("**MRE**") for the Springer deposit, effective December 31, 2025, prepared by SLR Consulting (Canada) Ltd. The MRE totals 176 million tonnes of rare earth mineralization, comprising 56.6 Mt Indicated at 0.70% TREO (including a near-surface high-grade core of 11.5 Mt at 1.10% TREO) and 119.5 Mt Inferred at 0.58% TREO (including a near-surface high-grade core of 3.0 Mt at 1.16% TREO). Resources are reported within an optimized open pit shell above a C\$43/t net metal revenue cut-off. Revenue is driven primarily by praseodymium and neodymium, which account for approximately 90% of total net metal value. The updated MRE represents a 1,248% increase in Indicated Resources and an 841% increase in Inferred Resources relative to the prior 2012 estimate, placing Springer among the top 10 largest REE deposits in North America based on the S&P Global Market Intelligence database (2025).

The Company cautions that mineral resources are not mineral reserves and do not have demonstrated economic viability.

Mineralization remains open in all directions. A fully funded 5,000-metre Phase 2 drill program is currently underway. Gallium results from the Fall 2025 drill program are not included in the current MRE and will be reported separately. An NI 43-101 Technical Report supporting the MRE is expected to be filed on SEDAR+ within 45 days of the February 23, 2026 news release.

References

Elliot, H.A.L., Wall, F., Chakhmouradian, A.R., Siegfried, P.R., Dahlgren, S., Weatherley, S., Finch, A.A., Marks, M.A.W, Dowman, E., Dedy, E. (2018): Fenites associated with carbonatite complexes: a review. *Ore Geology Review*, v. 93, 38-59.

Mariano, A.N. and Mariano, A. (2012): A Rare earth mineralogical and bench scale mineral processing study of selected samples from Springer Lavergne Deposit, Ontario, dated January 27, 2012, 54 pages (included within Ontario MINES assessment report 20013903).

Mitchell, R.H. (2012): Petrographic report - Springer Complex, Ontario Sample 599357 - Carbonatite, for Rare Earth Metals Inc., Thunder Bay, 15 pages (included within Ontario MINES assessment report 20013903).

Maher T and Zlezak P. (2026): Petrography Report of the Springer Lavergne Carbonatite, Jan 2026, Idaho National Laboratory, 30 pages (unpublished).

Woolley, A.R. and Kjassgaard, B.A. (2008): Paragenetic types of carbonatite as indicated by the diversity and relative abundances of associated silicate rocks: evidence from a global database. *Canadian Mineralogist*, v. 46, 741-752.

Qualified Person

The technical content of this press release has been reviewed and approved by Dr. Julie Selway, P.Geo., independent Qualified Person ("QP") as defined in National Instrument 43-101, Standards of Disclosure for Mineral Projects.

For more information about the Company, please visit Volta's website at www.voltametals.ca.

ABOUT VOLTA METALS LTD.

Volta Metals Ltd. (CSE: VLTA) (FSE: D0W) (OTC Pink: VOLMF) is a critical mineral exploration company focused on rare earths, gallium, lithium, cesium, and tantalum. Volta owns, has optioned and is currently exploring a critical minerals portfolio of rare earths, gallium, lithium, cesium, and tantalum projects in Ontario, one of the world's most prolific and emerging hard-rock critical mineral districts.

Volta is advancing its 4,750-hectare Springer REE Deposit, which is located on the traditional territory of the Nipissing First Nations in Sturgeon Falls. The Springer Rare Earth Element deposit is located approximately 70 km east of Sudbury, Ontario, with direct access via the Trans-Canada Highway and Highway 64. The project benefits from well-developed infrastructure, including paved road access, on-site power lines fed from the Crystal Falls hydroelectric dam, a natural gas pipeline, and Canadian National Railway service, all within 8 km of the deposit.

To learn more about Volta and its Springer and Aki Projects, please visit www.voltametals.ca.

ON BEHALF OF THE BOARD

For further information, contact:

Kerem Usenmez, President & CEO

Tel: 416.919.9060

Email: info@voltametals.ca

Website: www.voltametals.ca

Neither the CSE nor the Canadian Investment Regulatory Organization (CIRO) accepts responsibility for the adequacy or accuracy of this release.

This news release contains forward-looking statements relating to exploration activities, plans, strategies, and other statements that are not historical facts. Forward-looking statements are often identified by terms such as "will", "may", "should", "anticipate", "expects" and similar expressions. All statements other than statements of historical fact included in this news release are forward-looking statements that involve risks and uncertainties. Forward-looking information in this news release includes, but is not limited to, the expected timing of assay results from the Saskatchewan Research Council, results from additional drill holes currently in progress, the geological interpretation of the Springer REE deposit as a vertically extensive carbonatite pipe system, and the potential for the current drilling program to support future resource estimation. There can be no assurance that such statements will prove to be accurate, and actual results and future events could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from the Company's expectations include: the risks detailed from time to time in the filings made by the Company with securities regulators; the future prices and demand for rare earth elements and gallium; laboratory results that differ from visual or geological observations; and delays or the inability of the Company to obtain any necessary approvals, permits and authorizations required to carry out its business plans. The reader is cautioned that assumptions used in the preparation of any forward-looking statements may prove to be incorrect. Events or circumstances may cause actual results to differ materially from those predicted, as a result of numerous known and unknown risks, uncertainties, and other factors, many of which are beyond the control of the Company. The reader is cautioned not to place undue reliance on any forward-looking statements. Such information, although considered reasonable by management at the time of preparation, may prove to be incorrect and actual results may differ materially from those anticipated. Forward-looking statements contained in this news release are expressly qualified by this cautionary statement. The forward-looking statements contained in this news release are made as of the date of this news release, and the Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events, or otherwise, other than as required by law.



To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/290511>